

Year 9 Term 1 Homework

Student Name: _____	Grade: _____
Date: _____	Score: _____

Table of contents

1 Year 9 Term 1 Week 1 Homework	1
1.1 Rational Number	1
1.1.1 Significant figures	1
1.1.2 Estimation	3
1.1.3 Recurring decimals	4
1.1.4 Rates	6
1.1.5 Solving problem with rates	8
1.2 Miscellaneous exercises	9

This edition was printed on July 16, 2009.

Camera ready copy was prepared with the $\text{\LaTeX}2\text{e}$ typesetting system.

Copyright © 2000 - 2009 Yimin Math Centre (www.yiminmathcentre.com)

1 Year 9 Term 1 Week 1 Homework

1.1 Rational Number

A rational number is a number that can be written in the form $\frac{a}{b}$, where a and b are integers and $b \neq 0$.

1.1.1 Significant figures

A significant figure is a number that is correct within some stated degree of accuracy. The rule for significant figures are:

- All non-zero digits are significant.
- Zeros between non-zero digits are significant.
- Zeros at the end of a decimal are significant.
- Zeros before the first non-zero digit in a decimal are not significant.
- Zeros after the last non-zero digit in a whole number may or may not be significant.

Example 1.1.1 State the number of significant figures in each of these numbers:

1. 2.008

Solution: In 2.008, the two non-zero digits are significant and two zeros between these digits are also significant. \therefore the number has four significant figures.

2. 102.50

Solution: In 102.50, the three non-zero digits are significant and both the zero in between and at the end of the decimal are significant. \therefore The number has five significant figures.

3. 0.00125

Solution: In 0.00125, the three non-zero digits are significant; however, the three zeros at the beginning of the decimal are not significant. \therefore the number has only three significant figures.

4. 9000

Solution: In 9000, the non-zero digit is significant. Either some, all or none of the final zeros could possibly be significant. If we knew that the number had been rounded off correct to:

- (a) 1 significant figure, then only the 9 would be significant.*
- (b) 2 significant figures, then only the 9 and the first zero would be significant.*
- (c) 3 significant figures, then only the 9 and the first two zeros would be significant.*
- (d) 4 significant figures, then all the digits would be significant.*

Exercise 1.1.1 Round off 34.535 correct to:

1. 1 significant figure _____
2. 2 significant figures _____
3. 3 significant figures _____
4. 4 significant figures _____

Exercise 1.1.2 State the number of significant figures in each of the following:

1. 5002 _____
2. 0.48 _____
3. 3.40 _____
4. 12.0050 _____
5. 0.012003400 _____

Exercise 1.1.3 Round off each of the following correct to 1 significant figure:

1. 325 _____
2. 280 _____
3. 2180 _____
4. 12.56 _____
5. 99.45 _____

Exercise 1.1.4 Round off each of the following correct to 2 significant figures:

1. 8580 _____
2. 123003 _____
3. 8028 _____
4. 0.25349 _____
5. 194.95 _____

1.1.2 Estimation

- An estimate is an approximate answer that is worked out logically.
- It needs to be of the same order of magnitude.

Exercise 1.1.5 Estimate the answer, as an integer to each of these:

1. $9.6 + 19.3 + 12.2$ _____
2. $95.5 - 27.3 + 15.048$ _____
3. $12.2 \times 3.75 \times 5.4$ _____
4. $126.6 \div 9.81$ _____
5. $53.5 \div 6.12 \times 8.045$ _____

Exercise 1.1.6 Further applications

1. Evaluate $\sqrt{4}$ and $\sqrt{9}$, find estimates for the following, correct to 1 decimal place.
 - (a) $\sqrt{5}$ _____
 - (b) $\sqrt{8}$ _____
2. Evaluate $\sqrt{121}$ and $\sqrt{144}$. Hence, find estimates for the following, correct to 1 decimal place.
 - (a) $\sqrt{125}$ _____
 - (b) $\sqrt{145}$ _____
3. John decided to re-carpet his lounge room using carpet squares of side length 40 cm. The lounge room is rectangular in shape and measure 4.8 m by 5.6 m.
 - (a) Estimate the area of the room in square metres.

 - (b) How many carpet squares are needed to cover an area of 2 m^2 .

 - (c) Estimate the number of carpet squares that are needed to cover the entire lounge room floor.

 - (d) If the carpet squares are sold in packs of 50 at \$280 per pack, estimate the total cost of the re-carpeting.

1.1.3 Recurring decimals

- A recurring decimal has an infinite number of decimal places, with one or more of the digits repeating themselves indefinitely.
- Recurring decimals are written with a dot above the first and the last digits in the repeating sequence.
- Every recurring decimal can be expressed as a fraction, so recurring decimals are rational numbers.

Example 1.1.2

1. $0.333333\dots = 0.\dot{3}$
2. $0.166666\dots = 0.1\dot{6}$
3. $0.616161\dots = 0.\dot{6}\dot{1}$
4. $1.329329\dots = 1.\dot{3}\dot{2}\dot{9}$

- To convert a fraction to a recurring decimal divide the numerator by the denominator.
- To convert a recurring decimal to a fraction:
 - let the decimal be x
 - multiply both sides by the smallest power of 10 so that the recurring part of the decimal becomes a whole number
 - subtract the first equation from the second and solve the resulting equation.

Example 1.1.3 Convert each of these recurring decimals to a fraction in its simplest form:

1. $0.\dot{6}$
 Solution: let $x = 0.\dot{6} \dots$ (1)
 $\therefore 10x = 6.\dot{6} \dots$ (2)
 subtract (1) from (2) we have $9x = 6$.
 $\therefore x = \frac{6}{9} = \frac{2}{3}$
2. $0.\dot{1}\dot{2}\dot{5}$
 Solution: let $x = 0.\dot{1}\dot{2}\dot{5} \dots$ (1)
 $\therefore 1000x = 125.\dot{1}\dot{2}\dot{5} \dots$ (2)
 subtract (1) from (2) we have $999x = 125$
 $\therefore x = \frac{125}{999}$

Exercise 1.1.7 Write each of these as a recurring decimal:

1. $0.6444 \dots$ _____

2. $0.31818 \dots$ _____

3. $0.3555 \dots$ _____

4. $0.919191 \dots$ _____

5. $0.484848 \dots$ _____

6. $0.030303 \dots$ _____

7. $0.029029 \dots$ _____

8. $13.95555 \dots$ _____

Exercise 1.1.8 Convert each of these recurring decimals to a fraction or a mixed numeral, in simplest form:

1. $0.\dot{3}\dot{5}$

2. $0.4\dot{8}$

3. $0.\dot{1}4\dot{6}$

4. $3.41\dot{6}$

1.1.4 Rates

- A rate is a comparison of two unlike quantities.
- A rate is a measure of how one quantity is changing with respect to another.
- To be in simplest form, a rate must be expressed as a quantity per one unit of another quantity.

Example 1.1.4 Express each of the following statements as a rate in simplest form.

1. 210 km in 3 hours = 70 km/h.
2. 36 L in 9 min = 4 L/min.
3. \$180 in 4 hours = \$45/h.

Exercise 1.1.9 Express each of the the following statements as a rate in simplest form:

1. 45 m in 3 seconds _____
2. 260 km in 4 hours _____
3. \$18 for 8 kg _____
4. 72 kL in 1.5 hours _____
5. 26 km on 25 L _____
6. 240 heart beats in $2\frac{1}{2}$ min _____

Exercise 1.1.10 Complete the following equivalent rates:

1. 8 cm/s = _____ cm/min
2. 15 g/min = _____ g/h
3. 75 cm/s = _____ m/min
4. 180 kg/h = _____ t/day
5. 142 m/min = _____ km/h
6. 72 km/h = _____ m/s
7. 2.5¢/mm = \$ _____ /m
8. 2.8 m/min = _____ km/day

Exercise 1.1.11 Complete the following equivalent rates:

1. $25 \text{ m/s} = \text{_____ km/h}$
2. $8 \text{ mm/min} = \text{_____ m/day}$
3. $0.5 \text{ m/min} = \text{_____ km/day}$
4. $11 \text{ m/mL} = \text{_____ km/L}$
5. $125 \text{ m/min} = \text{_____ km/h}$
6. $25 \text{ mL/s} = \text{_____ L/h}$
7. $720 \text{ m/min} = \text{_____ m/s}$
8. $14.6 \text{ t/day} = \text{_____ kg/day}$

Exercise 1.1.12 Convert the following monthly interest rates to annual rates:

1. $0.65\% \text{ per month}$ _____
2. $0.8\% \text{ per month}$ _____
3. $1.25\% \text{ per month}$ _____

Exercise 1.1.13 Convert the following annual interest rates to monthly rates:

1. $8\% \text{ p.a.}$ _____
2. $18\% \text{ p.a.}$ _____
3. $4.8\% \text{ p.a.}$ _____

Exercise 1.1.14 Further applications

1. Calculate the daily interest rate on a credit card if the annual rate is $17.8\% \text{ p.a.}$

2. Convert $\$540/\text{week}$ to an equivalent monthly rate.

3. Convert $\$1014/\text{month}$ to an equivalent fortnightly rate.

4. Convert $\$461.50/\text{quarter}$ to an equivalent weekly rate.

1.1.5 Solving problem with rates**Exercise 1.1.15**

1. George drove 15 km in 10 minutes. At the same speed, how far does he drive in 2 hours?

2. If it takes 3 hours to remove 72 t of sugar from a silo, how long it would take to remove 30 t?

3. A long distance runner completes a marathon of 42.2 kilometres in 2 hours 15 minutes. Calculate his average speed in km/h and m/s, correct to 2 decimal places.

4. The following currency conversions show the value of 1 Australian dollar (A\$1) in US\$, euro and NZ\$.

A\$1 = US\$0.6925	A\$1 = 0.5226 euro	A\$1 = NZ\$1.2171
-------------------	--------------------	-------------------

Use these currency conversions to convert:

(a) A\$30 into US\$ _____

(b) A\$50 in euro _____

(c) A\$500 into NZ\$ _____

5. Use the unitary method to answer the following questions:

(a) David paid \$4.95 for 3 kg of apples. How much would he paid for 8 kg?

(b) In a walking race, Peter took 20 minutes to walk 4 km. How long would it take him to walk 15 km?

(c) If chicken are being sold for \$6.80 per kilogram, find the cost of purchasing 450 grams of chicken.

1.2 Miscellaneous exercises

Exercise 1.2.1 Round off the following correct to 3 significant figures:

1. 99.38 _____
2. 194.63 _____
3. 499.682 _____

Exercise 1.2.2 Convert each of these recurring decimals to a fraction or mixed numeral, in simplest form:

1. $0.7\dot{3}$

2. $1.6\dot{0}$

Exercise 1.2.3 Complete the following equivalent rates:

1. $25 \text{ } \phi/\text{cm}^2 = \$ \text{_____} /\text{m}^2$
2. $160 \text{ mL}/\text{m}^2 = \text{_____} \text{ L}/\text{km}^2$
3. $1.5 \text{ g}/\text{cm}^3 = \text{_____} \text{ t}/\text{m}^3$
4. $\$120/\text{L} = \text{_____} \text{ } \phi/\text{cm}^3$

Exercise 1.2.4 Further applications

1. *At the 1896 Olympic Games, Australia's Edwin Flack won a gold medal in the 800 m in a time of 2 minutes 11 seconds.*

(a) *Find the average speed in m/s, correct to 1 decimal place.*

(b) *Express this speed in km/h.* _____

2. *On a property sold for \$600,000, a real estate agent receives a commission of \$12,000. At what rate is the commission calculated?*

